

GeneChip® Mapping Publications

Last Updated November 2007

The GeneChip® Mapping Assay has been validated in nearly 250 publications since the introduction of the Mapping 10K Array. Read more about a growing number of researchers who are getting better results with the GeneChip® Mapping Arrays for applications including linkage analysis, whole-genome association, population genetics and chromosomal copy number changes.

Genotyping Technology:

1. Kennedy G., *et al.* Large-scale genotyping of complex DNA. *Nature Biotechnology* **21**(10):1233- 1237 (2003).
2. Matsuzaki H., *et al.* Parallel Genotyping of over 10,000 SNPs using a One Primer Assay on a High Density Oligonucleotide Array. *Genome Research* **14**(4):414-425 (2004).
3. Matsuzaki H., *et al.* Genotyping over 100,000 SNPs on a Pair of Oligonucleotide Arrays. *Nature Methods* **1**(2):109-111 (2004).
4. Tzvetkov M. V., *et al.* Genome-wide single-nucleotide polymorphism arrays demonstrate high fidelity of multiple displacement-based whole-genome amplification. *Electrophoresis* **26**(3):710-5 (2005).
5. Di X., *et al.* Dynamic model based algorithms for screening and genotyping over 100K SNPs on oligonucleotide microarrays. *Bioinformatics* **21**(9):1958-63 (2005).
6. Ruschendorf F., Nurnberg P. ALOHOMORA: a tool for linkage analysis using 10K SNP array data. *Bioinformatics* **21**(9):2123-5 (2005).
7. Leykin I., *et al.* Comparative linkage analysis and visualization of high-density oligonucleotide SNP array data. *BMC Genetics* **6**(1):7 (2005).
8. Paez, J. G., *et al.* Genome coverage and sequence fidelity of phi29 polymerase-based multiple strand displacement whole genome amplification. *Nucleic Acids Research* **32**(9):e71 (2004).
9. Brohede J., Dunne R., McKay J. D., Hannan G. N. PPC: an algorithm for accurate estimation of SNP allele frequencies in small equimolar pools of DNA using data from high density microarrays. *Nucleic Acids Research* **33**(17):e142 (2005).
10. Lips E. H., *et al.* Reliable high-throughput genotyping and loss-of-heterozygosity detection in formalin-fixed, paraffin-embedded tumors using single nucleotide polymorphism arrays. *Cancer Research* **65**(22):10188-91 (2005).
11. Carvalho B., Bengtsson H., Speed T. P., Irizarry R. A. Exploration, normalization, and genotype calls of high-density oligonucleotide SNP array data. *Biostatistics* **8**(2):485-499 (2007).

12. Huentelman M. J., *et al.* SNIper: improved SNP genotype calling for Affymetrix 10K GeneChip microarray data. *BMC Genomics* **6**(149):Abstract (2005).
13. Nicolae D. L., Wen X., Voight B. F., Cox N. J. Coverage and characteristics of the Affymetrix GeneChip Human Mapping 100K SNP set. *PLoS Genetics* **2**(5):e67 (2006).
14. Lamy P., Anderson C. L., Wilkman F. P., Wiuf C. Genotyping and annotation of Affymetrix SNP arrays. *Nucleic Acids Research* **34**(14):e100 (2006).
15. Kirov G., *et al.* Pooled DNA genotyping on Affymetrix SNP genotyping arrays. *BMC Genomics* **7**(1):27 (2006).
16. N. Rabbee and T. P. Speed. A genotype calling algorithm for Affymetrix SNP arrays *Bioinformatics* **22**(1):7-12 (2005).
17. Nicolae D. L., Wu X., Miyake K., and Cox N. J. GEL: a novel genotype calling algorithm using empirical likelihood. *Bioinformatics* **22**(16):1942-1947 (2006).
18. Simpson C. L., *et al.* A central resource for accurate allele frequency estimation from pooled DNA genotyped on DNA microarrays. *Nucleic Acids Research* **33**(3):e25 (2005).
19. Hua J., *et al.* SNIper-HD: improved genotype calling accuracy by an expectation-maximization algorithm for high-density SNP arrays. *Bioinformatics* **23**(1):57-63 (2007).
20. Paez J. G., *et al.* Genome coverage and sequence fidelity of 29 polymerase-based multiple strand displacement whole genome amplification. *Nucleic Acids Research* **32**(9):e71 (2004).
21. Xiao Y., Segal M. R., Yang Y. H., and Yeh R. A multi-array multi-SNP genotyping algorithm for Affymetrix SNP microarrays. *Bioinformatics* **23**(12):1459-1467 (2007).

Chromosomal Copy Number

22. Bignell G. R., *et al.* High-resolution analysis of DNA copy number using oligonucleotide microarrays. *Genome Research* **14**(2):287-95 (2004).
23. Lieberfarb M. E., *et al.* Genome-wide Loss of Heterozygosity Analysis from Laser Capture Microdissected Prostate Cancer Using Single Nucleotide Polymorphic Allele (SNP) Arrays and a Novel Bioinformatics Platform dChipSNP. *Cancer Research* **63**(16):4781-4785 (2003).
24. Janne P. A., *et al.* High-resolution single nucleotide polymorphism array and clustering analysis of loss of heterozygosity in human lung cancer cell lines. *Oncogene* **23**(15):2716-26 (2004).
25. Zhao X., *et al.* An integrated view of copy number and allelic alterations in the cancer genome using single nucleotide polymorphism arrays. *Cancer Research* **64**(9):3060-71 (2004).
26. Huang J., *et al.* Whole Genome DNA Copy Number Changes Identified by High Density Oligonucleotide Arrays. *Human Genomics* **1**(4):287-299 (2004).

27. Wong K., *et al.* Allelic imbalance analysis by high-density single-nucleotide polymorphic allele (SNP) array with whole genome amplified DNA. *Nucleic Acids Research* **32**(9):e69 (2004).
28. Zhou X., *et al.* Concurrent analysis of loss of heterozygosity (LOH) and copy number abnormality (CNA) for oral premalignancy progression using the Affymetrix 10K SNP mapping array. *Human Genetics* **115**(4):327-30 (2004).
29. Hu N., *et al.* Genome-wide association study in esophageal cancer using GeneChip mapping 10K array. *Cancer Research* **65**(7):2542-6 (2005).
30. Herr A., *et al.* High-resolution analysis of chromosomal imbalances using the Affymetrix 10K SNP genotyping chip. *Genomics* **85**(3):392-400 (2005).
31. Rauch A., *et al.* Molecular karyotyping using an SNP array for genome-wide genotyping. *Medical Genetics* **41**(12):916-22 (2004).
32. Ishikawa S., *et al.* Allelic dosage analysis with genotyping microarrays. *Biochemical and Biophysical Research Communications* **333**(4):1309-1314 (2005).
33. Koed K., *et al.* High-density single nucleotide polymorphism array defines novel stage and location-dependent allelic imbalances in human bladder tumors. *Cancer Research* **65**(1):34-45 (2005).
34. Zhao X., *et al.* Homozygous Deletions and Chromosome Amplifications in Human Lung Carcinomas Revealed by Single Nucleotide Polymorphism Array Analysis. *Cancer Research* **65**(13):5561-5570 (2005).
35. Levi A. *et al.* Integrative genomic analyses identify MITF as a lineage survival oncogene amplified in malignant melanoma. *Nature Genetics* **436**(7047):117-22 (2005).
36. Nannya Y., *et al.* A Robust Algorithm for Copy Number Detection Using High-Density Oligonucleotide Single Nucleotide Polymorphism Genotyping Arrays. *Cancer Research* **65**(14):6071-6079 (2005).
37. Raghavan M., *et al.* Genome-wide single nucleotide polymorphism analysis reveals frequent partial uniparental disomy due to somatic recombination in acute myeloid leukemias. *Cancer Research* **65**(2):375-378 (2005).
38. Irving J. A. E., *et al.* Loss of Heterozygosity in Childhood Acute Lymphoblastic Leukemia Detected by Genome-Wide Microarray Single Nucleotide Polymorphism Analysis. *Cancer Research* **65**(8):3053-3058 (2005).
39. Slater H. R., *et al.* High-Resolution Identification of Chromosomal Abnormalities Using Oligonucleotide Arrays Containing 116,204 SNPs. *Human Genetics* **77**(5):709-726 (2005).
40. Tsafirir D., *et al.* Relationship of gene expression and chromosomal abnormalities in colorectal cancer. *Cancer Research* **66**(4):2129-37 (2006).

41. Liang D., *et al.* A father and son with mental retardation, a characteristic face, inv(12), and insertion trisomy 12p12.3-p11.2. *American Journal of Medical Genetics* **140**(3):238-44 (2006).
42. Bruce S., *et al.* Global analysis of uniparental disomy using high density genotyping arrays. *Medical Genetics* **42**(11):847-51 (2005).
43. Teh M. T., *et al.* Genome-wide single nucleotide polymorphism microarray mapping in basal cell carcinomas unveils uniparental disomy as a key somatic event. *Cancer Research* **65**(19):8597-603 (2005).
44. Baron C. A., *et al.* Genomic and functional profiling of duplicated chromosome 15 cell lines reveal regulatory alterations in UBE3A-associated ubiquitin-proteasome pathway processes. *Human Molecular Genetics* **15**(6):853-69 (2006).
45. Lu Y. J., *et al.* Association between large-scale genomic homozygosity without chromosomal loss and nonseminomatous germ cell tumor development. *Cancer Research* **65**(20):9137-41 (2005).
46. Fitzgibbon J., *et al.* Association between acquired uniparental disomy and homozygous gene mutation in acute myeloid leukemias. *Cancer Research* **65**(20):9152-4 (2005).
47. LaFramboise T., *et al.* Allele-specific amplification in Cancer revealed by SNP array analysis. *PLoS Comput. Biology* **1**(6):e65 (2005).
48. Perner S., *et al.* TMPRSS2: ERG fusion-associated deletions provide insight into the heterogeneity of prostate cancer. *Cancer Research* **66**(17):8337-41 (2006).
49. Stark M. and Hayward N. Genome-wide loss of heterozygosity and copy number analysis in Melanoma using high-density single-nucleotide polymorphism arrays. *Cancer Research* **67**(6):2632-2642 (2007).
50. Liu W., *et al.* Germline copy number polymorphisms involving larger than 100 kb are uncommon in normal subjects. *Prostate* **67**(3):227-233 (2007).
51. Kotliarov Y., *et al.* High-resolution global genomic survey of 178 gliomas reveals novel regions of copy number alteration and allelic imbalances. *Cancer Research* **66**(19):9428-36 (2006).
52. Zhao X., *et al.* An integrated view of copy number and allelic alterations in the cancer genome using single nucleotide polymorphism arrays. *Cancer Research* **6**(9):3060-3071 (2004).
53. The Austin Genome Project Consortium. Mapping autism risk loci using genetic linkage and chromosomal rearrangements. *Nature Genetics* **39**(3):319-328 (2007).
54. Mao X., *et al.* Rapid high-resolution karyotyping with precise identification of chromosome breakpoints. *Genes, Chromosomes and Cancer* **46**(7):675-683 (2007).

55. Purdie K. J., *et al.* Allelic imbalances and microdeletions affecting the PTPRD gene in cutaneous squamous cell carcinomas detected using single nucleotide polymorphism microarray analysis. *Genes Chromosomes Cancer* **46**(7):661-9 (2007).
56. Jacobs S., *et al.* Genome-wide, high-resolution detection of copy number, loss of heterozygosity, and genotypes from formalin-fixed, paraffin-embedded tumor tissue using microarrays. *Cancer Research* **67**(6):2544-51 (2007).
57. Redon R., *et al.* Global variation in copy number in the human genome. *Nature* **444**(7118):444-54 (2006)
58. Mao X., *et al.* Rapid high-resolution karyotyping with precise identification of chromosome breakpoints. *Genes, Chromosomes and Cancer* **46**(7):675-83 (2007).
59. Mullighan C. G. A genome-wide analysis of genetic alterations in acute lymphoblastic leukaemia. *Nature* **446**(7137):758-764 (2007).
60. Komura D., *et al.* Genome-wide detection of human copy number variations using high-density DNA oligonucleotide arrays. *Genome Research* **16**(12):1575-84 (2006).
61. Rinaldi A., *et al.* Genomic and expression profiling identifies the B-cell associated tyrosine kinase Syk as a possible therapeutic target in mantle cell lymphoma. *British Journal of Haematology* **132**(3):306-16 (2006).
62. Friedman J. M., *et al.* Oligonucleotide microarray analysis of genomic imbalances in children with mental retardation. *Human Genetics* **79**(3):500-13 (2006).
63. Liu W., *et al.* Comprehensive assessment of DNA copy number alterations in human prostate cancers using Affymetrix 100K SNP mapping array. *Genes, Chromosomes and Cancer* **45**(11):1018-32 (2006).
64. Holst F., *et al.* Estrogen receptor alpha (ESR1) gene amplifications is frequent in breast cancer. *Nature Genetics* **39**(5):655-60 (2007).
65. Corneveaux J. J., *et al.* SNP-based chromosomal copy number ascertainment following multiple displacement whole-genome amplification. *Biotechniques* **42**(1):77-83 (2007).
66. Carr J., *et al.* High-resolution analysis of allelic imbalances in neuroblastoma cell lines by single nucleotide polymorphism arrays. *Cancer Genet Cytogenet* **172**(2):127-38 (2007).
67. Pfeifer D., *et al.* Genome-wide analysis of DNA copy number changes and LOH in CLL using high-density SNP arrays. *Blood* **109**(3):1202-10 (2007).
68. Chao A., Lee Y. S., Chao A. S., Wang T. H., Chang S. D. Microarray-based comparative genomic hybridization analysis of Wolf-Hirschhorn syndrome in a fetus with deletion of 4p15.3 to 4pter. *Birth Defects Research Part A - Clinical and Molecular Teratology* **76**(10):739-43 (2006).
69. Stordal B., Peters G., Davey R. Similar chromosomal changes in cisplatin and oxaliplatin-resistant sublines of the H69 SCLC cell line are not associated with platinum resistance. *Genes, Chromosomes and Cancer* **45**(12):1094-105 (2006).

70. Andersen C. L., Wiuf C., Kruhoffer P., de Knijff P., Kayser M. Frequent occurrence of uniparental disomy in colorectal cancer. *Carcinogenesis* **28**(1):38-48 (2007).
71. Langer S., *et al.* Delineation of a 2q deletion in a girl with dysmorphic features and epilepsy. *American Journal of Medical Genetics* **140**(7):764-8 (2006).
72. Yu Y., Baras A. S., Shirasuna K., Frierson H. F. Jr., Moskaluk C. A. Concurrent loss of heterozygosity and copy number analysis in adenoid cystic carcinoma by SNP genotyping arrays. *Laboratory Investigation* **87**(5):430-9 (2007).
73. Kadota M., *et al.* Allele-specific chromatin immunoprecipitation studies show genetic influence on chromatin state in human genome. *PLoS Genetics* **3**(5):e81 (2007).
74. Nakazaki K., *et al.* Genome-Wide Analysis of Copy Number Alterations/LOH/Allelic Imbalances in Non-Hodgkin Lymphoma Using Ultrahigh-Density SNP-Genotyping Microarrays with the Robust CNAG Algorithms. *Blood (ASH Annual Meeting Abstracts)* **106**(420):Abstract (2005).
75. Sanada, M., *et al.* Genome-Wide Analysis of Copy Number Analysis of Myelodysplastic Syndromes Using High-Density SNP-Genotyping Microarrays. *Blood (ASH Annual Meeting Abstracts)* **106**(3420):Abstract (2005).
76. Schon C., *et al.* Analysis of Loss of Heterozygosity in Adult Patients with De Novo Acute Myeloid Leukemia and Normal Karyotype. *Blood (ASH Annual Meeting Abstracts)* **108**(806):Abstract (2006).
77. Mullighan C. G., *et al.* Genes Regulating B-Cell Development and Differentiation Are Mutated in 40% of Pediatric Acute Lymphoblastic Leukemia. *Blood (ASH Annual Meeting Abstracts)* **108**(217):Abstract (2006).
78. Hartford C. M., *et al.* Genome Scan for Therapy-Related Leukemia. *Blood (ASH Annual Meeting Abstracts)* **106**(3254):Abstract (2005).
79. Yuan E., *et al.* Genomic Profiling Maps Loss of Heterozygosity and Defines the Timing and Stage Dependence of Epigenetic and Genetic Events in Wilms' Tumors. *Molecular Cancer Research* **3**(9):493-502 (2005).
80. Yang H. C., *et al.* A genome-wide study of preferential amplification/hybridization in microarray-based pooled DNA experiments. *Nucleic Acids Research* **34**(15):e106 (2006).
81. Chang B., *et al.* Integration of Somatic Deletion Analysis of Prostate Cancers and Germline Linkage Analysis of Prostate Cancer Families Reveals Two Small Consensus Regions for Prostate Cancer Genes at 8p. *Cancer Research* **67**(9):4098-4103 (2007).
82. Hehir-Kwa J. Y., *et al.* Genome-wide Copy Number Profiling on High-density Bacterial Artificial Chromosomes, Single-nucleotide Polymorphisms, and Oligonucleotide Microarrays: A Platform Comparison based on Statistical Power Analysis. *DNA Research* **14**(1):1-11 (2007).

83. Calhoun E. S., *et al.* Identifying Allelic Loss and Homozygous Deletions in Pancreatic Cancer without Matched Normals Using High-Density Single-Nucleotide Polymorphism Arrays. *Cancer Research* **66**(16):7920-7928 (2006).
84. Baron C. A., *et al.* Genomic and functional profiling of duplicated chromosome 15 cell lines reveal regulatory alterations in UBE3A-associated ubiquitin-proteasome pathway processes. *Human Molecular Genetics* **15**(6):853-869 (2006).
85. Lai L. A., *et al.* Increasing genomic instability during premalignant neoplastic progression revealed through high resolution array-CGH. *Genes, Chromosomes and Cancer* **46**(6):532-42 (2007).
86. Downing J. R., Mullighan C.G. Tumor-Specific Genetic Lesions and Their Influence on Therapy in Pediatric Acute Lymphoblastic Leukemia. *Hematology* (2006).
87. Vissers L. E. L. M., Veltman J. A., van Kessel A. G., Brunner H.G. Identification of disease genes by whole genome CGH arrays. *Human Molecular Genetics* **14**(Suppl 2):R215-R223 (2005).
88. Koed K., *et al.* High-Density Single Nucleotide Polymorphism Array Defines Novel Stage and Location-Dependent Allelic Imbalances in Human Bladder Tumors. *Cancer Research* **65**(1):34-45 (2005).
89. Takahashi K., *et al.* Clonal and Parallel Evolution of Primary Lung Cancers and Their Metastases Revealed by Molecular Dissection of Cancer Cells. *Clinical Cancer Research* **13**(1):111-120 (2007).
90. Gaasenbeek M., *et al.* Combined Array-Comparative Genomic Hybridization and Single-Nucleotide Polymorphism-Loss of Heterozygosity Analysis Reveals Complex Changes and Multiple Forms of Chromosomal Instability in Colorectal Cancers. *Cancer Research* **66**(7):3471-3479 (2006).
91. Ikediobi O. N., *et al.* Mutation analysis of 24 known cancer genes in the NCI-60 cell line set. *Molecular Cancer Therapeutic* **5**(11):2606-2612 (2006).
92. Cox C., *et al.* A survey of homozygous deletions in human cancer genomes. *Proceedings of the National Academy of Sciences of the United States of America* **102**(12):4542-4547 (2005).
93. Park J. T., *et al.* Notch3 Gene Amplification in Ovarian Cancer. *Cancer Research* **66**(12):6312-6318 (2006).
94. Wong K., *et al.* Genome-Wide Allelic Imbalance Analysis of Pediatric Gliomas by Single Nucleotide Polymorphic Allele Array. *Cancer Research* **66**(23):11172-11178 (2006).
95. Olejniczak E. T., *et al.* Integrative Genomic Analysis of Small-Cell Lung Carcinoma Reveals Correlates of Sensitivity to Bcl-2 Antagonists and Uncovers Novel Chromosomal Gains. *Molecular Cancer Research* **5**(4):331-339 (2007).
96. Callegaro A., Basso D., Bicciato S. A locally adaptive statistical procedure (LAP) to identify differentially expressed chromosomal regions. *Bioinformatics* **22**(21):2658-2666 (2006).

97. Collins A. T., Berry P. A., Hyde C., Stower M. J., Maitland N. J. Prospective Identification of Tumorigenic Prostate Cancer Stem Cells. *Cancer Research* **65**(23):10946-10951 (2005).
98. Uzie T., *et al.* The tumor suppressors Ink4c and p53 collaborate independently with Patched to suppress medulloblastoma formation. *Genes and Development* **19**(22):2656-2667 (2005).
99. Shelbourne P. F., *et al.* Triplet repeat mutation length gains correlate with cell-type specific vulnerability in Huntington disease brain. *Human Molecular Genetics* **16**(10):1133-1142 (2007).
100. Tso C., *et al.* Primary Glioblastomas Express Mesenchymal Stem-Like Properties. *Molecular Cancer Research* **4**(9):607-619 (2006).
101. Ma D. Q., *et al.* Dissecting the locus heterogeneity of autism: Significant linkage to chromosome 12q14. *Molecular Psychiatry* **12**(4):376-384 (2007).
102. Andersen C. L., *et al.* Frequent occurrence of uniparental disomy in colorectal cancer. *Carcinogenesis* **28**(1):38-48 (2007).
103. Hu N., *et al.* Genome-wide loss of heterozygosity and copy number alteration in esophageal squamous cell carcinoma using the Affymetrix GeneChip Mapping 10 K array. *BMC Genomics* **7**(299):Abstract (2006).
104. Thompson E. R., Herbert S.C., Forrest S.M. and Campbell I.G. Whole genome SNP arrays using DNA derived from formalin-fixed, paraffin-embedded ovarian tumor tissue. *Human Mutation* **26**(4):384-389 (2005).
105. Zhou X., *et al.* Allelic imbalance analysis of oral tongue squamous cell carcinoma by high-density single nucleotide polymorphism arrays using whole-genome amplified DNA. *Human Genetics* **118**(3-4):504-507 (2005).
106. Zweier C., *et al.* Haploinsufficiency of TCF4 causes syndromal mental retardation with intermittent hyperventilation (Pitt-Hopkins syndrome). *American Journal of Human Genetics* **80**(5):994-1001 (2007).
107. Friedman J. M., *et al.* Oligonucleotide microarray analysis of genomic imbalance in children with mental retardation. *American Journal of Human Genetics* **79**(3):500-513 (2006).
108. Ming J. E., *et al.* Rapid detection of submicroscopic chromosomal rearrangements in children with multiple congenital anomalies using high density oligonucleotide arrays. *Human Mutation* **27**(5):467-473 (2006).
109. Ooyama A., *et al.* Genome-wide screening of loci associated with drug resistance to 5-fluorouracil-based drugs. *Cancer Science* **98**(4):577-583 (2007).

Linkage

110. Ragoussis J., Elvidge G. Affymetrix GeneChip system: moving from research to the clinic. *Expert Review of Molecular Diagnostics* **6**(2):145-52 (2006).

111. Hardenbol P., *et al.* Highly multiplexed molecular inversion probe genotyping: over 10,000 targeted SNPs genotyped in a single tube assay. *Genome Research* **15**(2):269-75 (2005).
112. Sayer J. A., *et al.* The centrosomal protein nephrocystin-6 is mutated in Joubert syndrome and activates transcription factor ATF4. *Nature Genetics* **38**(6):674-81 (2006).
113. Strausberg R., *et al.* An autosomal recessive cerebellar ataxia syndrome with upward gaze palsy, neuropathy, and seizures. *Neurology* **64**(1):142-4 (2005).
114. Sellick G. S. Localisation of merosin-positive congenital muscular dystrophy to chromosome 4p16.3. *Human Genetics* **117**(2-3):207-12 (2005).
115. Uimari P., *et al.* Genome-wide linkage disequilibrium from 100,000 SNPs in the East Finland founder population. *Twin Research and Human Genetics* **8**(3):185-97 (2005).
116. Hinrichs A. L., Suarez B. K. Genotyping errors, pedigree errors, and missing data. *Genetic Epidemiology* **29**(Suppl 1):S120-4 (2005).
117. Goode E. L., Jarvik G. P. Assessment and implications of linkage disequilibrium in genome-wide single-nucleotide polymorphism and microsatellite panels. *Genetic Epidemiology* **29**(Suppl 1):S72-6 (2005).
118. Coon H., *et al.* Evidence for linkage on chromosome 3q25-27 in a large autism extended pedigree. *Human Heredity* **60**(4):220-6 (2006).
119. Zhang C., *et al.* A genome-wide linkage analysis of alcoholism on microsatellite and single-nucleotide polymorphism data, using alcohol dependence phenotypes and electroencephalogram measures. *BMC Genetics* **6**(Suppl 1):S17 (2005).
120. Murray S. S. Evaluation of linkage disequilibrium and its effect on non-parametric multipoint linkage analysis using two high density single-nucleotide polymorphism mapping panels. *BMC Genetics* **6**(Suppl 1):S85 (2005).
121. Schumacher J., *et al.* Genome-wide scan and fine-mapping linkage studies in four European samples with bipolar affective disorder suggest a new susceptibility locus on chromosome 1p35-p36 and provides further evidence of loci on chromosome 4q31 and 6q24. *Human Genetics* **77**(6):1102-11 (2005).
122. Sellick G. S., *et al.* Dominantly inherited cutaneous small-vessel lymphocytic vasculitis maps to chromosome 6q26-q27. *Human Genetics* **118**(1):82-6 (2005).
123. Peralta J. M., Dyer T. D., Warren D. M., Blangero J., Almasy L. Linkage disequilibrium across two different single-nucleotide polymorphism genome scans. *BMC Genetics* **6**(Suppl 1):S86 (2005).
124. McQueen M. B., *et al.* Comparison of linkage and association strategies for quantitative traits using the COGA dataset. *BMC Genetics* **6**(Suppl 1):S96 (2005).

125. Zhu X., *et al.* A genome-wide linkage and association study using COGA data. *BMC Genetics* **6**(Suppl 1):S12 (2005).
126. Lin H. F., *et al.* Comparison of the power between microsatellite and single-nucleotide polymorphism markers for linkage and linkage disequilibrium mapping of an electrophysiological phenotype. *BMC Genetics* **6**(Suppl 1):S7 (2005).
127. Yu Y., *et al.* Whole-genome variance components linkage analysis using single-nucleotide polymorphisms versus microsatellites on quantitative traits of derived phenotypes from factor analysis of electroencephalogram waves. *BMC Genetics* **6**(Suppl 1):S15 (2005).
128. Yang H. C., *et al.* A genome-wide scanning and fine mapping study of COGA data. *BMC Genetics* **6**(Suppl 1):S30 (2005).
129. Morgan N. V., *et al.* A germline mutation in BLOC1S3/reduced pigmentation causes a novel variant of Hermansky-Pudlak syndrome (HPS8). *Human Genetics* **78**(1):160-6 (2006).
130. Feske S., *et al.* A mutation in Orai1 causes immune deficiency by abrogating CRAC channel function. *Nature* **441**(7090):179-85 (2006).
131. Ragoussis J., Elvidge G. Affymetrix GeneChip system: moving from research to the clinic. *Expert Review of Molecular Diagnostics* **6**(2):145-52 (2006).
132. Cao X., *et al.* Mapping of hereditary mixed polyposis syndrome (HMPS) to chromosome 10q23 by genomewide high-density single nucleotide polymorphism (SNP) scan and identification of BMPR1A loss of function. *Medical Genetics* **43**(3):e13 (2006).
133. Vance C., *et al.* Familial amyotrophic lateral sclerosis with frontotemporal dementia is linked to a locus on chromosome 9p13.2-21.3. *Brain* **129**(Pt 4):868-76 (2006).
134. Ozturk A. K., *et al.* Molecular genetic analysis of two large kindreds with intracranial aneurysms demonstrates linkage to 11q24-25 and 14q23-31. *Stroke* **37**(4):1021-7 (2006).
135. Sayer J. A., *et al.* The centrosomal protein nephrocystin-6 is mutated in Joubert syndrome and activates transcription factor ATF4. *Nature Genetics* **38**(6):674-81 (2006).
136. Kalay E., *et al.* Mutations in the lipoma HMGIC fusion partner-like 5 (LHFPL5) gene cause autosomal recessive nonsyndromic hearing loss. *Human Mutations* **27**(7):633-9 (2006).
137. Almeida A. M., *et al.* Hypomorphic promoter mutation in PIGM causes inherited glycosylphosphatidylinositol deficiency. *Nature Medicine* **12**(7):846-51 (2006).
138. Gutierrez-Roelens I. Localization of candidate regions for a novel gene for Kartagener syndrome. *Human Genetics* **14**(7):809-15 (2006).
139. Sellick G. S., Garrett C., Houlston R. S. A Novel Gene for Neonatal Diabetes Maps to Chromosome 10p12.1-p13. *Diabetes* **52**(10):2636-2638 (2003).
140. Middleton F. A., *et al.* Genome Wide Linkage Analysis of Bipolar Disorder Using High Density Single Nucleotide Polymorphisms (SNP) Genotyping Arrays: A Comparison with

Microsatellite Markers and the Finding of a Significant Linkage to Chromosome 6q22. *American Journal of Human Genetics* **74**(5):886-97 (2004).

141. Shrimpton A. E., *et al.* A HOX gene mutation in a family with isolated congenital vertical talus and charcot-marie-tooth disease. *Human Genetics* **75**(1):92-96 (2004).
142. Puffenberger E., *et al.* Mapping of Sudden Infant death with Dysgenesis of the Testes Syndrome (SIDDT) by a high-density SNP genome scan and identification of TSPYL loss-of-function. *Proceedings of the National Academy of Sciences of the United States of America* **101**(32):11689-11694 (2004).
143. Kaindl A. M., *et al.* Journal of Medical Genetics 2004 Missense mutations of ACTA 1 cause dominant congenital myopathy with cores. *Journal of Medical Genetics* **41**(11):842-8 (2004).
144. Gissen P., *et al.* Mutations in VPS33B, encoding a regulator of SNARE-dependent membrane fusion, cause arthrogyposis-renal dysfunction-cholestasis (ARC) syndrome. *Nature Genetics* **36**(4):400-4 (2004).
145. John S., *et al.* Whole genome scan in a complex disease using 11,245 SNPs: comparison to microsatellites. *Human Genetics* **75**(1):54-64 (2004).
146. Uhlenberg B., *et al.* Mutations in the gene encoding gap junction protein x12 (Connexin 46.6) Cause Pelizaeus-Merzbacher-like disease. *Human Genetics* **75**(2):251-260 (2004).
147. Janecke A. R., *et al.* Mutations in RDH12 encoding a photoreceptor cell retinol dehydrogenase cause childhood-onset severe retinal dystrophy. *Nature Genetics* **36**(8):850-4 (2004).
148. Schaid D. J., *et al.* Comparison of Microsatellites Versus Single Nucleotide Polymorphisms by a Genome Linkage Screen for Prostate Cancer Susceptibility Loci. *Human Genetics* **75**(6):948-65 (2004).
149. Sellick G. S., *et al.* Genomewide linkage searches for Mendelian disease loci can be efficiently conducted using high-density SNP genotyping arrays. *Nucleic Acids Research* **32**(20):e164 (2004).
150. Hao K., Li C., Rosenow C., Hung Wong W. Estimation of genotype error rate using samples with pedigree information—an application on the GeneChip Mapping 10K array. *Genomics* **84**(4):623-30 (2004).
151. Craig D. W., Stephan D. A. Applications of whole-genome high-density SNP genotyping. *Expert Review of Molecular Diagnostics* **5**(2):159-70 (2005).
152. Weber S., *et al.* Gene locus ambiguity in posterior urethral valves/prune-belly syndrome. *Pediatric Nephrology* **20**(8):1036-1042 (2005).
153. Metherell L. A., *et al.* Mutations in MRAP, encoding a new interacting partner of the ACTH receptor, cause familial glucocorticoid deficiency type 2. *Nature Genetics* **37**(2):166-70 (2005).

154. Middleton F. A., *et al.* Complete maternal uniparental isodisomy of chromosome 4 in a subject with major depressive disorder detected by high density SNP genotyping arrays. *American Journal of Medical Genetics - Neuropsychiatric Genetics* **141**(1):28-32 (2006).
155. Cao X., *et al.* Mapping of hereditary mixed polyposis syndrome (HMPS) to chromosome 10q23 by genomewide high-density single nucleotide polymorphism (SNP) scan and identification of BMPR1A loss of function. *American Journal of Medical Genetics* **43**(3):e13 (2006).
156. Lee H., *et al.* A genome-wide linkage scan of familial benign recurrent vertigo: linkage to 22q12 with evidence of heterogeneity. *Human Molecular Genetics* **15**(2):251-8 (2006).
157. Dahia P. L., *et al.* Novel pheochromocytoma susceptibility loci identified by integrative genomics. *Cancer Research* **65**(21):9651-8 (2005).
158. Turkmen S., *et al.* Cerebellar Hypoplasia and Quadrupedal Locomotion in Humans as a Recessive Trait Mapping to Chromosome 17p. *Journal of Medical Genetics* **43**(5):461-464 (2006).
159. Ozturk A. K., *et al.* Molecular Genetic Analysis of Two Large Kindreds With Intracranial Aneurysms Demonstrates Linkage to 11q24-25 and 14q23-31. *Stroke* **37**(4):1021-1027 (2006).
160. van Rееuwijk J., *et al.* POMT2 mutations cause alpha-dystroglycan hypoglycosylation and Walker-Warburg syndrome. *Journal of Medical Genetics* **42**(12):907-12 (2005).
161. Smith U. M., *et al.* The transmembrane protein meckelin (MKS3) is mutated in Meckel-Gruber syndrome and the wpk rat. *Nature Genetics* **38**(2):191-6 (2006).
162. Chandler K. E., *et al.* Leucodysplasia, microcephaly, cerebral malformation (LMC): a novel recessive disorder linked to 2p16. *Brain* **129**(Pt 1):272-7 (2006).
163. Lee H., *et al.* A genome-wide linkage scan of familial benign recurrent vertigo: linkage to 22q12 with evidence of heterogeneity. *Human Molecular Genetics* **15**(2):251-8 (2006).
164. Marcheco-Teruel B. Genome-wide linkage search for bipolar disorder susceptibility loci in a large and complex pedigree from the eastern part of Cuba. *American Journal of Medical Genetics Part B-Neuropsychiatric Genetics* **141B**(8):833-43 (2006).
165. Butcher L. M., *et al.* Genotyping pooled DNA on microarrays: a systematic genome screen of thousands of SNPs in large samples to detect QTLs for complex traits. *Behavior Genetics* **34**(5):549-55 (2004).
166. Shrimpton A. E., *et al.* A HOX gene mutation in a family with isolated congenital vertical talus and Charcot-Marie-Tooth disease. *American Journal of Human Genetics* **75**(1):92-6 (2004).
167. Lachman H. M., *et al.* Genomewide suggestive linkage of opioid dependence to chromosome 14q. *Human Molecular Genetics* **16**(11):1327-34 (2007).

168. Ma D. Q., *et al.* Dissecting the locus heterogeneity of autism: significant linkage to chromosome 12q14. *Molecular Psychiatry* **12**(4):376-84 (2007).
169. Nikolova G., *et al.* Sequence variant in the laminin gamma1 (LAMC1) gene associated with familial pelvic organ prolapse. *Human Genetics* **120**(6):847-56 (2007).
170. Kemp Z., *et al.* Evidence for a colorectal cancer susceptibility locus on chromosome 3q21-q24 from a high-density SNP genome-wide linkage scan. *Human Molecular Genetics* **15**(19):2903-2910 (2006).
171. Chiang A. P., *et al.* Homozygosity mapping with SNP arrays identifies TRIM32, an E3 ubiquitin ligase, as a Bardet-Biedl syndrome gene (BBS11). *Proceedings of the National Academy of Sciences of the United States of America* **103**(16):6287-6292 (2006).
172. Abd El-aziz M. M., *et al.* A novel genetic study of chinese families with autosomal recessive retinitis pigmentosa. *Annals of Human Genetics* **71**(3):281-294 (2007).
173. Nikolova G., *et al.* Sequence variant in the laminin γ 1 (LAMC1) gene associated with familial pelvic organ prolapse. *Human Genetics* **120**(6):847-856 (2007).
174. Gutierrez-Roelens I., Sluysmans T., Jorissen M., Amyere M., Vikkula M. Localization of candidate regions for a novel gene for Kartagener syndrome. *European Journal of Human Genetics* **14**(7):809-815 (2006).
175. Marcheco-Teruel B., *et al.* A genome-wide linkage search for bipolar disorder susceptibility loci in a large and complex pedigree from the eastern part of Cuba. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics* **141**(8):833-843 (2006).
176. Schaid D. J., *et al.* Comparison of microsatellites versus single-nucleotide polymorphisms in a genome linkage screen for prostate cancer-susceptibility loci. *American Journal of Human Genetics* **75**(6):948-965 (2004).
177. Uhlenberg B., *et al.* Mutations in the gene encoding gap junction protein α 12 (Connexin 46.6) cause Pelizaeus-Merbacher-like disease. *American Journal of Human Genetics* **75**(2):251-260 (2004).
178. Tintle N. L., Ahn K., Mendell N. R., Gordon D., Finch S.J. Characteristics of replicated single-nucleotide polymorphism genotypes from COGA: Affymetrix and Center for Inherited Disease Research. *BMC Genetics* **6**(Suppl 1):S154 (2005).
179. Ostergaard E., *et al.* Mitochondrial encephalomyopathy with elevated methylmalonic acid is caused by SUCLA2 mutations. *Brain* **130**(3):853-861 (2007).

Genome-wide Association

180. Ellis N. A., *et al.* Localization of breast cancer susceptibility loci by genome-wide SNP linkage disequilibrium mapping. *Genetic Epidemiology* **30**(1):48-61 (2006).

181. Lee H., *et al.* A genome-wide linkage scan of familial benign recurrent vertigo: linkage to 22q12 with evidence of heterogeneity. *Human Molecular Genetics* **15**(2):251-8 (2006).
182. Cao X., *et al.* Mapping of hereditary mixed polyposis syndrome (HMPS) to chromosome 10q23 by genomewide high-density single nucleotide polymorphism (SNP) scan and identification of BMPR1A loss of function. *Journal of Medical Genetics* **43**(3):e13 (2006).
183. Rinaldi A., *et al.* Comparative genome-wide profiling of post-transplant lymphoproliferative disorders and diffuse large B-cell lymphomas. *British Journal of Haematology* **134**(1):27-36 (2006).
184. Horvath A., *et al.* A genome-wide scan identifies mutations in the gene encoding phosphodiesterase 11A4 (PDE11A) in individuals with adrenocortical hyperplasia. *Nature Genetics* **38**(7):794-800 (2006).
185. Tzvetkov M. V., *et al.* Genome-wide single-nucleotide polymorphism arrays demonstrate high fidelity of multiple displacement-based whole-genome amplification. *Electrophoresis* **26**(3):710-5 (2005).
186. Teh M. T., *et al.* Genomewide single nucleotide polymorphism microarray mapping in basal cell carcinomas unveils uniparental disomy as a key somatic event. *Cancer Research* **65**(19):8597-603 (2005).
187. Uimari P., *et al.* Genome-wide linkage disequilibrium from 100,000 SNPs in the East Finland founder population. *Twin Research and Human Genetics* **8**(3):185-97 (2005).
188. Goode E. L., *et al.* Assessment and implications of linkage disequilibrium in genome-wide single-nucleotide polymorphism and microsatellite panels. *Genetic Epidemiology* **29**(Suppl 1):S72-6 (2005).
189. Schumacher J., *et al.* Genomewide scan and fine-mapping linkage studies in four European samples with bipolar affective disorder suggest a new susceptibility locus on chromosome 1p35-p36 and provides further evidence of loci on chromosome 4q31 and 6q24. *American Journal of Human Genetics* **77**(6):1102-11 (2005).
190. Zhu X. F., *et al.* A genome-wide linkage and association study using COGA data. *BMC Genetics* **6**(Suppl 1):S128 (2005).
191. Yang H. C., *et al.* A genome-wide scanning and fine mapping study of COGA data. *BMC Genetics* **6**(Suppl 1):S30 (2005)
192. Hu N., *et al.* Genome-wide association study in esophageal cancer using GeneChip mapping 10K array. *Cancer Research* **65**(7):2542-6 (2005).
193. Mitra N., *et al.* Localization of cancer susceptibility genes by genome-wide single-nucleotide polymorphism linkage-disequilibrium mapping. *Cancer Research* **64**(21):8116-25 (2004).
194. Butcher L. M., *et al.* SNPs, microarrays and pooled DNA: identification of four loci associated with mild mental impairment in a sample of 6000 children. *Human Mol Genetics* **14**(10):1315-25 (2005).

195. Klein R. J., *et al.* Complement factor H polymorphism in age-related macular degeneration. *Hoh J. Science* **308**(5720):385-9 (2005).
196. Kulle B., *et al.* Application of genomewide SNP arrays for detection of simulated susceptibility loci. *Human Mutations* **25**(6):557-65 (2005).
197. Godde R., *et al.* Association of the HLA region with multiple sclerosis as confirmed by a genome screen using >10,000 SNPs on DNA chips. *Journal of Molecular Medicine* **83**(6):486-94 (2005).
198. Meaburn E., *et al.* Genotyping pooled DNA using 100K SNP micro arrays: a step towards genomewide association scans. *Nucleic Acids Research* **34**(4):e27 (2006).
199. Miyatake K., *et al.* Genome-wide definitive haplotypes determined using a collection of complete hydratidiform moles. *Genome Research* **15**(11):1511-8 (2005).
200. Liu Q. R., *et al.* Pooled association genome scanning: validation and use to identify addiction vulnerability loci in two samples. *Proceedings of the National Academy of Sciences of the United States of America* **102**(33):11864-9 (2005).
201. Arking D. E., *et al.* A common genetic variant in the NOS1 regulator NOS1Ap modulates cardiac repolarization. *Nature Genetics* **38**(6):644-651 (2006).
202. Steer S., *et al.* Genomic DNA pooling for whole-genome association scans in complex disease: empirical demonstration of efficacy in rheumatoid arthritis. *Genes and Immunity* **8**(1):57-68 (2007).
203. DeWan A., *et al.* HTRA1 promoter polymorphism in wet age-related macular degeneration. *Science* **314**(5801):989-992 9 (2006).
204. Liu Q., *et al.* Addiction molecular genetics: 639,401 SNP whole genome association identifies many "cell adhesion" genes. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics* **141**(8):918-925 (2006).
205. Papassotiropoulos A., *et al.* Common Kibra alleles are associated with human memory performance. *Science* **314**(5798):475-8 (2006).
206. Frayling T. M., *et al.* A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science* **316**(5826):889-94 (2007).
207. Saxena R., *et al.* Genome-wide association analysis identifies loci for type 2 diabetes and triglyceride levels. *Science* **316**(5829):1331-1336 (2007).
208. Coon K. D., *et al.* A high-density whole-genome association study reveals that APOE is the major susceptibility gene for sporadic late-onset Alzheimer's disease. *J Clin Psychiatry* **68**(4):613-8 (2007).
209. Uhl G., *et al.* Molecular genetics of nicotine dependence and abstinence: whole genome association using 520,000 SNPs. *BMC Genetics* **8** (10):Abstract (2007).

210. Zeggini E., *et al.* Replication of genome-wide association signals in UK samples reveals risk loci for type 2 diabetes. *Science* **316**(5829):1336-41 (2007).
211. Lencz T., *et al.* Converging evidence for a pseudoautosomal cytokine receptor gene locus in schizophrenia. *Molecular Psychiatry* **12**(6):572-580 (2007).
212. Scott L. J., *et al.* A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants. *Science* **316**(5829):1341-1345 (2007).
213. Todd J. A., *et al.* Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes. *Nature Genetics* **39**(7):857-64 (2007).
214. Parkes M., *et al.* Sequence variants in the autophagy gene IRGM and multiple other replicating loci contribute to Crohn's disease susceptibility. *Nature Genetics* **39**(7):830-2 (2007).
215. The Wellcome Trust Case Control Consortium. Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature* **447**(7145):645-6 (2007).
216. Mao X., *et al.* A genomewide admixture mapping panel for hispanic/latino populations. *American Journal of Human Genetics* **80**(6):1171-8 (2007).
217. Zaitlen N., *et al.* Leveraging the HapMap correlation structure in association studies. *Human Genetics* **80**(4):683-91 (2007).
218. Tintle N. L., Ahn K., Mendell N. R., Gordon D., Finch S. J. Characteristics of replicated single-nucleotide polymorphism genotypes from COGA: Affymetrix and Center for Inherited Disease Research. *BMC Genetics* **6**(Suppl 1):S154 (2005).
219. Ooyama A., *et al.* Genome-wide screening of loci associated with drug resistance to 5-fluorouracil-based drugs. *Cancer Science* **98**(4):577-83 (2007).
220. Herbert A., *et al.* A Common Genetic Variant Is Associated with Adult and Childhood Obesity. *Science* **312**(5771):279-283 (2006).
221. Mani A., *et al.* LRP6 Mutation in a Family with Early Coronary Disease and Metabolic Risk Factors. *Science* **315**(5816):1278-1282 (2007).
222. Talbot K. and Ansorge O. Recent advances in the genetics of amyotrophic lateral sclerosis and frontotemporal dementia: common pathways in neurodegenerative disease. *Human Molecular Genetics* **15**(Review Issue 2):R182-R187 (2006).
223. Brutsaert T. D., *et al.* Ancestry explains the blunted ventilatory response to sustained hypoxia and lower exercise ventilation of Quechua altitude natives. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology* **289**(1):58-1 (2005).
224. Rinaldi A., *et al.* Comparative genome-wide profiling of post-transplant lymphoproliferative disorders and diffuse large B-cell lymphomas. *British Journal of Haematology* **134**(1):27-36 (2006).

225. Kleensang A., Franke D., König I. R. and Ziegler A. Haplotype-sharing analysis for alcohol dependence based on quantitative traits and the mantel statistic. *BMC Genetics* **6**(Suppl 1):S75 (2005).
226. Johnson C., *et al.* Pooled association genome scanning for alcohol dependence using 104,268 SNPs: Validation and use to identify alcoholism vulnerability loci in unrelated individuals from the collaborative study on the genetics of alcoholism. *American Journal of Medical Genetics, Part B: Neuropsychiatric Genetics* **141**(8):844-853 (2006).
227. Spinola M., *et al.* Genome-wide single nucleotide polymorphism analysis of lung cancer risk detects the KLF6 gene. *Cancer Letters* **251**(2):311-6 (2007).
228. Marchini J., *et al.* A new multipoint method for genome-wide association studies by imputation of genotypes. *Nature Genetics* **39**(7):906-913 (2007).
229. Todd J. A., *et al.* Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes. *Nature Genetics* **39**(7):857-864 (2007).
230. Leif Groop. From fused toes in mice to human obesity. *Nature Genetics* **39**(6):706-707 (2007).
231. Pe'er I., *et al.* Evaluating and improving power in whole-genome association studies using fixed marker sets. *Nature Genetics* **38**(6):663-667 (2006).
232. Docherty S.J., Butcher L.M., Schalkwyk L.C. and Plomin R. Applicability of DNA pools on 500 K SNP microarrays for cost-effective initial screens in genomewide association studies. *BMC Genomics* **8**: 214 (2007).
233. Mägi R., *et al.* Evaluating the performance of commercial whole-genome marker sets for capturing common genetic variation. *BMC Genomics* **8**: 159 (2007).
234. Samani N.J., *et al.* Genomewide association analysis of coronary artery disease. *New England Journal of Medicine* **357**(5):443-453 (2007).
235. Mátyás G., *et al.* Large genomic fibrillin-1 (FBN1) gene deletions provide evidence for true haploinsufficiency in Marfan syndrome. *Human Genetics* **122**(1):23-32(2007).
236. Wilkening S., *et al.* Allelotyping of pooled DNA with 250 K SNP microarrays. *BMC Genomics* **8**:Article Number 77 (2007).
237. Pearson J.V., *et al.* Identification of the genetic basis for complex disorders by use of pooling-based genomewide single-nucleotide-polymorphism association studies. *American Journal of Human Genetics* **80**(1):126-139 (2007).
238. Wollstein A., *et al.* Efficacy assessment of SNP sets for genome-wide disease association studies. *Nucleic Acids Research* Vol. 35, No. 17 e113 (2007).

Information Content

239. Evans D. M., and Cardon L. R. Guidelines for Genotyping in Genomewide Linkage Studies: Single-Nucleotide-Polymorphism Maps Versus Microsatellite Maps. *American Journal of Human Genetics* **75**(4):687-692 (2004).
240. The International Multiple Sclerosis Genetics Consortium. Enhancing Linkage Analysis of Complex Disorders: An Evaluation of High-Density Genotyping. *Human Molecular Genetics* **13**(17):1943-1949 (2004).
241. Pe'er I., *et al.* Comparison of HapMap data on Affymetrix and Illumina platforms: expanding the power of studies and a not so unexpected synergy. *Pharmacogenomics* **8**(2):199-201 (2007).

Population Genetics

242. Shriver M. D., *et al.* The genomic distribution of population substructure in four populations using 8,525 autosomal SNPs. *Human Genomics* **1**(4):274-286 (2004).
243. Shriver M.D., *et al.* Large-scale SNP analysis reveals clustered and continuous patterns of human genetic variation. *Human Genomics* **2**(2):81-89 (2005).
244. Gonzalez Burchard E., *et al.* Latino populations: a unique opportunity for the study of race, genetics, and social environment in epidemiological research. *American Journal of Public Health* **95**(12):2161-8 (2005).
245. Bonnen P. E., *et al.* Evaluating potential for whole-genome studies in Kosrae, an isolated population in Micronesia. *Nature Genetics* **38**(2):214-7 (2006).
246. Hao K., *et al.* Detect and adjust for population stratification in population-based association study using genomic control markers: an application of Affymetrix GeneChip® Human Mapping 10K Array. *European Journal of Human Genetics* **12**(12):1001-1006 (2004).
247. Lao O., *et al.* Proportioning whole-genome single-nucleotide-polymorphism diversity for the identification of geographic population structure and genetic ancestry. *American Journal of Human Genetics* **78**(4):680-90 (2006).
248. Zhang C., *et al.* A whole genome long-range haplotype (WGLRH) test for detecting imprints of positive selection in human populations. *Bioinformatics* **22**(17):2122-2128 (2006).
249. Keen-Kim D., *et al.* Overrepresentation of rare variants in a specific ethnic group may confuse interpretation of association analyses. *Human Molecular Genetics* **15**(22):3324-3328 (2006).
250. Horvath A., *et al.* Adrenal Hyperplasia and Adenomas Are Associated with Inhibition of Phosphodiesterase 11A in Carriers of PDE11A Sequence Variants That Are Frequent in the Population. *Cancer Research* **66**(24):11571-11575 (2006).

SNPs and Expression

251. Wang Z. C., *et al.* Loss of Heterozygosity and Its Correlation with Expression Profiles in Subclasses of Invasive Breast Cancers. *Cancer Research* **64**(1):64-71 (2004).
252. Zieger K., *et al.* Role of activating fibroblast growth factor receptor 3 mutations in the development of bladder tumors. *Clinical Cancer Research* **11**(21):7709-19 (2005).
253. Yuan E., *et al.* A single nucleotide polymorphism chip-based method for combined genetic and epigenetic profiling: validation in Decitabine Therapy and tumor/normal comparisons. *Cancer Research* **66**(7):3443-3451 (2006).
254. Strefford J. C., *et al.* Complex genomic alterations and gene expression in acute lymphoblastic leukemia with intrachromosomal amplification of chromosome 21. *Proceedings of the National Academy of Sciences of the United States of America* **103**(21):8167-8172 (2006).